



Cut-Out and Safety Valve

* not illustrated

Item	Description	NO
1	Cut-Out and Safety Valve item 12 K 20/25	16.20.00
	Cut-Out and Safety Valve item. 13 K 30	16.21.00
3	valve body	16.20.01
4	inner snap ring 24 x 1,2	16.20.03
5	retaining disk	16.20.04
6	grooved rubber seal ring 10 x 22 x 6	16.20.05
7	valve seat	16.20.06
8	retaining plate	16.20.07
9	sleeve with valve ball (item 18)	16.20.08
10	spring seat	16.20.09
11	pressing rod	16.20.10
12	spring up to 250 kg/cm ² for 16.20.00	16.10.12
13	spring up to 300 kg/cm ² 16.21.00	16.21.01
14	spring cap	16.20.11
15	valve adjusting screw	16.20.12
16	lock nut	16.10.15
17	seal wire and lead	16.10.16
18	ball for 16.20.08	16.20.14
19	gasket ring A 28 x 34 (copper)	16.20.02
20	cut-out pipe complete with ring nipple (item 21)	8.21.00
21	ring nipple for 8.21.00	13.11.17
22	hollow screw	13.11.19
23	gasket ring A 8 x 14 (copper)	5.11.03
24	Blow-Off Arrangement for idling complete	16.80.00
25	blow-off valve up to 250 kg/cm ² with spring item 12 K 20/25	16.80.10
	blow-off valve up to 300 kg/cm ² with spring item 13 K 30	16.80.20
26*	parts for cut-off valve 16.20.00 or 16.21.00 but instead of items 3,5 and 8	
27	valve body	16.80.21
28	choke plate	16.80.22
29	retainig washer	16.80.23
30	noise silencer tube	16.80.31
31	adapting piece (without soldered tube 16 x 3)	12.92.35
32	connecting pipe complete with items 33 to 35	
	from blow-off valve to three way valve lenght 400 mm	16.80.32
	from blow-off valve to three way valve lenght 1400 mm	16.80.33
33	ring nipple B8 for 16.80.32 and 16.80.33	16.80.34



Cut-Out and Safety Valve

* not illustrated

Item	Description	NO
34	union screw M 16 x 1,5 for 16.80.32 and 16.80.33	3.10.10
35	union nipple 6 x 8 for 16.80.32 and 16.80.33	3.10.11
36	gasket ring A 12 x 18 (copper)	1.11.05
37	hollow screw A 6	14.70.39
38*	Three Way Valve For Idling with support plate complete	16.80.40
39	three way valve incl. item 40 and 41	16.80.41
40	revolution stop plate for 16.80.41	16.80.42
41	split pin 3 x 40 for 16.80.41	16.80.43
42	ball handle	16.80.44
43	fastening plate with connection nipple	16.80.45
44	holding plate	16.80.46
45	operating instruction plate	16.80.47
46	cylindrical screw	16.80.48
47	hexagon nut M 6	4.10.14
48	lock washer A 6	12.91.53
49	noise silencer tube	16.80.49
50	connecting pipe ,complete with items 34, 35, and 21	16.80.51
51	double hollow screw M8	16.80.55

