



Air Intake

* not illustrated

Item	Description	NO
	Air Intake and Motor Exhaust Equipment	20.00.00
1	gasket	20.10.01
2	gasket	20.10.05
3	suction air silencer with wet air filter basket complete	20.10.10
4	suction air silencer complete without filter basket	20.10.11
5	wet air filter gasket	20.10.12
12	Dichtkegel 8 x 10	26.01.31
13	union nut M 20 x 1,5	26.01.32
14	suction air bend	20.10.02
16	hexagon screw M 12 x 40	3.10.05
17	hexagon nut M 12	1.10.05
18	disk 13	14.70.52
20	regeneration pot for horizontal installation	20.61.00
21	sheet metal jacket complete with item 22	20.61.10
22	taper pin 10 x 24 for 20.61.10	20.61.11
23	heating inset complete	20.61.12
24	gasket	20.61.13
25	hexagon screw M 12 x 25	20.61.14
26	Befestigungskette	20.61.15
27	tube curve with fitting	20.61.16
28	fitting for tube 16 x 3	21.21.00
30	regeneration pot horizontal installation	20.62.00
32	regeneration pot horizontal installation with item 22	20.62.00
40	trush part complete with filter	20.64.10
41	filter inset	26.10.22
42	trush nozzle	20.64.11
43	gasket ring A 10 x 14 (copper)	3.11.03
44	gasket ring A 12 x 18 (copper)	1.11.05
45	pressure gauge reducing valve complete	18.13.20
46	union nipple 4 x 6 for tube 6 x 1	18.11.10
47	union nut M 14 x 1,5 for tube 6 x 1	18.11.11
48*	air pipe to regeneration pot (Rohr 6 x 1) 900 mm	20.64.21
	air pipe from stand pipe to regeneration pot 600 mm	20.64.22
49	stud bolt M 10 x 25	20.64.25
50	hexagon nut M 10	14.25.07
51	lock washer A 10	14.26.04



Air Intake

* not illustrated

Item	Description	NO
55	balance reservoir complete with exhaust fume pipe 500 mm	20.71.00
	balance reservoir complete with exhaust fume pipe 700mm	20.72.00
56	stud bolt M 12 x 30	4.10.10
57	exhaust gasket	1.10.02
60		
	silencer complete with special isolation 347 mm	20.81.00
	silencer complete with special isolation 276 mm	20.82.00
	silencer complete without isolation 264 mm	20.83.00
61	ZS 359 x	20.84.11
62	cap nut M10	11.65.39
63	cap nut M 12	1.10.21
65	exhaust flange pipe 90 x 2 mm	1.10.25
66	axial compensator	20.85.11
67	hexagon nut M 12 (brass)	20.85.12
68	lock washer A 12	12.51.03

